

Title: Fabrication of nanoparticle-reinforced composite hydrogel for improved durability, antifouling, and thrombosis-resistance in arteriovenous grafts(Article)

- Dawit, H.,
- Mehmood, S.,
- Hussain, Z.,
- Islam, S.R.,
- Wang, Z.,
- Cao, Y.,
- Liu, X.,
- Wang, Z.,
- Pei, R.
- [View Correspondence \(jump link\)](#)
- ^aSchool of Nano-Tech and Nano-Bionics, University of Science and Technology of China (USTC), Hefei, 230026, China
- ^bCAS Key Laboratory for Nano-Bio Interface, Division of Nanobiomedicine, Suzhou Institute of Nano-Tech and Nano-Bionics (SINANO), Chinese Academy of Sciences, Suzhou, 215123, China
- ^cDepartment of Textile Engineering, Uttara University, Dhaka, 1230, Bangladesh

Abstract

Arteriovenous grafts are routinely designed to provide a deliberate connection between an artery and vein in patients during hemodialysis. The commonly used grafts present significant drawbacks such as thrombosis, bacterial infection, and biofouling which prevents their functionality. To endow hydrogels with improved anti-thrombosis, stable antifouling, and strong mechanical strength, a surface-modified nanoparticle-reinforced nanohybrid hydrogel is developed. In brief, zwitterionic sulfobetaine methacrylate (SBMA) is coated on bentonite clay (BC) nanoparticles via a simple method. BC-SBMA nanoparticles were then loaded onto sodium alginate /polyvinyl alcohol hydrogel composite. Calcium chloride (Ca^{2+}) crosslinking is employed to form stable network and optimize polyvinyl alcohol/sodium alginate (PS) hydrogel composite. BC-SBMA particles were dispersed into PS hydrogel and crosslinked to form nanohybrid hydrogel (PS@BC-SBMA). The nanohybrid hydrogel was characterized for its morphological, mechanical, physicochemical, antibacterial, biocompatibility, antifouling, ex-vivo anti-thrombogenic, and in-vivo anti-inflammatory properties. The results revealed that the presence of BC-SBMA particles boosted the mechanical strength and facilitated biocompatibility. The presence of zwitterionic polymers provided excellent antifouling properties toward blood platelets, unnecessary proteins, and bacterial strains. Hence, the cooperative effects of the nanohybrid hydrogel such as biocompatibility, antifouling, and mechanical properties lead to a desirable candidate for blood-contacting implants. © 2024 Elsevier B.V.

Author keywords

Anti-thrombosis Antifouling Blood contacting device Nanohybrid hydrogel Vascular graft

This work was supported by the Science and Technology Foundation of Jiangsu Province (BK20232046), the Science and Technology Foundation of Suzhou (SZS2023006, ZXT2022007), the Natural National Science Foundation of China (32250410304), and the Special Cultivation Project of Suzhou Institute of Nano-Tech and Nano-Bionics (SINANO), CAS.

- **ISSN:** 09277765
- **CODEN:** CSBBE
- **Source Type:** Journal
- **Original language:** English
- **DOI:** 10.1016/j.colsurfb.2024.114420
- **PubMed ID:** 39631322
- **Document Type:** Article

- **Publisher:** Elsevier B.V.